Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (currently amended) A display device comprising:
- a liquid crystal display (LCD) comprising first and second liquid crystal cells positioned along a first axis of the display device;
- a first display driver for driving the first liquid crystal cell in a first direction and in a second direction;
- a second display driver for driving the second liquid crystal cell in a first <u>direction</u> and <u>in a second direction</u>; and
- _____means for synchronising synchronizing the first and the second display drivers; and
- _____wherein the first and second display drivers are positioned at opposed sides of the LCD.
- (original) A display device as claimed in Claim 1, wherein the first and second display drivers are positioned at opposed sides of the LCD along the first axis of the display device.
- 3. (previously presented) A display device as claimed in Claim 1, wherein the first axis extends in the direction of the height of the LCD.

- 4. (previously presented) A display device as claimed in Claim 1, wherein the first axis extends in the direction of the width of the LCD.
- 5. (previously presented) A display device as claimed in claim 1, wherein the LCD is substantially symmetrical about a bisector.
- 6. (previously presented) A display device as claimed in claim 1, which is substantially symmetrical about a bisector.
- 7. (previously presented) A display device as claimed in Claim 5, wherein the bisector is the first axis.
- 8. (previously presented) A display device as claimed in Claim 5, wherein the bisector is a second axis perpendicular to the first.
 - 9. (cancelled)
 - 10. (cancelled)
- 11. (previously presented) A display arrangement as claimed in claim 9, wherein the intermediate element interconnects the first and second drivers for synchronization.
- 12. (previously presented) A display arrangement as claimed in claim 9, wherein the intermediate element is flexible.

- 13. (previously presented) A display arrangement as claimed in claim 12, wherein the intermediate element is a flexible printed circuit (FPC) foil.
- 14. (previously presented) A display arrangement as claimed in claim 9, wherein the intermediate display element comprises display device power control circuitry.
- 15. (currently amended) A display arrangement as claimed in claim 928, wherein the display device further comprises first and second flexible driver supports for supporting the respective first and second drivers.
- 16. (original) A display arrangement as claimed in claim 15, wherein the flexible driver supports are FPC foils.
- 17. (previously presented) A display arrangement as claimed in claim 15, wherein the flexible driver supports flex to contact the LCD and the intermediate element.
- 18. (previously presented) A display module comprising an arrangement as claimed in claim 1.
- 19. (previously presented) A portable device comprising a display device as claimed in claim 1.

Claims 20-27 (cancelled)

28. (new) A display device comprising:

a liquid crystal display (LCD) comprising first and second liquid crystal cells positioned along a first axis of the display device;

a first display driver for driving the first liquid crystal cell in a first direction and in a second direction;

a second display driver for driving the second liquid crystal cell in a first direction and in a second direction;

means for synchronizing the first and the second display drivers;

a connector for connecting display device circuitry to an external element, and an intermediate element for interfacing the display device and the connector; and

wherein the first and second display drivers are positioned at opposed sides of the LCD; and

the intermediate element is located substantially behind the LCD.